

Hino 300 XZU 710L 6.5 TON 300S Wide cab 4X2

Car Details

Make	Hino	Model	300
Type	Trucks	Year	2024
Transmission	Manual	Cylinders	V4
Fuel	Diesel	Code	XZUJ3
Location	UAE - Dubai	Price	0

Technical Features

Dimensions (LxWxH) mm	6,120x1,995x2,240	Maximum power	85 kW {116PS} at 2,500 r/min (JIS Gross)
Maximum torque	324 Nm {33 kgfm} at 1,600 r/min (JIS Gross)	Max. section (depth x flange x thickness)	192.8 x 65 x 5.9 mm
Rear frame width	750 mm	Tensile strength	540 N/mm sq. (55 kgf/mm sq.)
Engine oil capacity	9.4 L	Fuel Tank Capacity	100 L
Wheelbase (mm)	3,430	Maximum engine speed	3,000 r/min
Max. speed (km/h)	110	-	-

Interior Features

CAB Type : Forward control, all steel welded construction, high roof	Front windshield : Heat-absorbing laminated glass
Front seat : 4-way adjustable driver seat, fixed back passenger seat Integrated type	Seat cover : Vinyl type
Front seat belt : 3-point ELR (Emergency Locking Retractor) belt on driver and outer passenger seat, 2-point NR (Non Retractor) belt on center passenger seat	Floor mat : Vinyl type
Sun visor (both sides)	Cab trim (quarter panel) : Semi trim
Instrument panel center cluster : Dark grey color	Door pocket (both side)
Seat back pocket (pocket for driver seat)	Grab handle (interior) : Equipped (driver 1 + passenger 1)
Outside rear view mirrors : Convex type, long stay	Inside mirror
Windshield wiper : 2-speed with wash and intermittent feature	Front heater and defroster (with warm up switch)
Room light (reading light only)	Door courtesy switch : Driver side
Cigar lighter	Cup holder
Tool set	Hydraulic jack
Radiator grille : Cab colored type	Speedometer : Equipped (km/h)
Multi-information : Equipped	Tachometer : Equipped (r/min)

Coolant temperature gauge : Equipped (with buzzer)	Fuel gauge
Brake warning : Brake fluid level and vacuum pressure warning lamp and buzzer	-

Exterior Features

Cab to axle center : 2,875	Front overhang : 1,115
Rear overhang (at frame end) : 1,575	Front chassis height : 730
Rear chassis height : 800	Road clearance (at front axle) : 210
Front tread : 1,655	Rear tread : 1,520
Turning radius on tire : 6,200	Turning radius wall to wall : 6,900
Gradeability \tan^{-1} , (%) : 36.4	Transmission gear ratio (:1) : 1st (5.342), 2nd (2.975), 3rd (1.604) , 4th (1.000), 5th (0.712), Rev. (4.970)
Rear axle : Gear ratio (:1) : 5.571	Engine Type : Diesel, turbocharged and intercooled, 4-cycle, in-line 4-cylinder, overhead valve, water-cooled
Combustion system : Compression Ignition, Four stroke	Bore x Stroke : 104 x 118 mm
Piston displacement : 4.009 L	Compression ratio : 18.0 : 1
Fuel injection pump : Electronic control common rail type with altitude compensation	Air cleaner and intake : Behind cab mounted half-height snorkel air intake with air filter, dry paper element
Exhaust tail : Short tail type	Engine revolution control : Equipped (instrument panel mounted rotary knob type)
Clutch Type : Dry single plate with damper springs, facing outside diameter 300 mm, automatic gap adjuster	Transmission Model : RE50, manual 5-speeds, with overdrive
Transmission shift lever : Folding type	PROPELLER SHAFT : Tube outside diameter x thickness (82.6 x 2.3 mm)
FRONT AXLE Type : Reversed Elliot, " I " section beam	REAR AXLE Type : Full-floating, single reduction, single speed by hypoid gearings
Front wheel brake : Drum inside diameter 320 mm, lining width 100 mm	Rear wheel brake : Drum inside diameter 320 mm, lining width 115 mm
Exhaust brake	LSPV (load sensing proportional valve)
PARKING BRAKE Type : Mechanical, internal expanding acting on transmission	STEERING Type : Telescopic and tilt steering column, recirculating ball integral power steering
FRONT SUSPENSION Type : Semi-elliptic leaf springs with double acting shock absorbers	REAR SUSPENSION Type : Semi-elliptic main and auxiliary leaf spring with double acting
WHEEL AND TIRE	Tire size : Front and rear : 7.50R16 10PR, rib type tread (16 x 6.00GS wheel)
Fuel filter : Primary (with water separator) and secondary filter	Fuel filler : Small-diameter neck
CHASSIS FRAME Type : Ladder-shaped channel section side rails	Front bumper : Dark grey type (resin)

Front underrun protector

Tow hook (front)



















Notes

All Pictures shown are for illustration purpose only Specifications may change without prior notice.

This vehicle available in Different colors